


DATASHEET

ProSoft Wireless Designer PSW-PWD

ProSoft Wireless Designer simplifies the task of planning and specifying your ProSoft Wireless network. The easy to use, wizard-based interface creates a visual layout of your radios and sites, and generates a complete Bill of Materials including radios and accessories.



Part #	Quantity	Description
RLX-RS-SCA	1	25.12V Enclosure / Shipping Wireless Ethernet Switch
C10M10-40-002	2	20' LMR 105 RA RP-SMA → N plug cable
C10M10-40-005	1	50' LMR 105 RA RP-SMA → N plug cable
LP-24002	8	N Jack → N Jack EMI lightning protection wharfed
C08M40-40-100	1	100ft LMR 600 N Plug → N plug cable
C06M10-40-000	1	60ft LMR 600 N Plug → N plug cable
C10M40-40-005	1	50' LMR 400 N Plug → N plug cable
C40M40-40-000	1	400' LMR 400 N Plug → N plug cable
C40M40-40-002	4	20' LMR 400 N Plug → N plug cable
A2424N-DB	3	24 dB Directional N Jack parabolic
A2409N-ODD	5	Antenna, 9dB omni J N heavy duty - with mounting hardware
RLX-WPK001	1	RF Connector Weatherproofing Kit

Features

Benefits

Simplicity of Specifying Installation

- ◆ Visual diagram of site layout
- ◆ Location
- ◆ Radio type, frequency range, channel and power requirements
- ◆ Length, type and estimated signal loss for cables
- ◆ Required accessories
- ◆ Complete parts list

Comprehensive Site Audit Capability

- ◆ Detailed description of each site and link
- ◆ Helps to visualize and understand network, technical support and maintenance needs

Backed by ProSoft Technology[®]

- ◆ Industrial data communications experts who understand your protocols, devices, and applications
- ◆ Three year standard warranty

Functional Specifications

- Contains a database of all currently available RadioLinx radios, antennas, cables, connectors and accessories
- Exports Parts List, Site and Link Details, and Wizard settings into a variety of common file formats, for import into applications such as spreadsheets, databases and word processors
- Checks wireless link feasibility based on path length and recommended accessories
- Predicts signal strength based on distance, local regulations and hardware choices
- Fully documents your ProSoft Wireless network plan

System Requirements

ProSoft Wireless Designer is designed for computers running Microsoft Windows and Microsoft .NET Framework version 3.0 or newer.

Minimum hardware requirements are:

- 400 MHz or faster Pentium PC
- 128 MB RAM
- CD-ROM drive
- 280 MB available hard drive space

The Microsoft .NET Framework version 3.0 is not supported on Windows 95, Windows NT 4, or Windows 3.x.

It is highly recommended for all platforms that you upgrade to the latest Windows Service Pack and install all critical updates available from Microsoft to ensure the best compatibility and security.

Ordering Information

To order this product, please use the following:

PSW-PWD ProSoft Wireless Designer

This product is available as a complimentary download from the ProSoft Technology web page at www.prosoft-technology.com/downloads

Distributors:

Place your order by email or fax to:

North American / Latin American / Asia Pacific

orders@prosoft-technology.com,
fax to +1 661.716.5101

Europe

europe@prosoft-technology.com,
fax to +33 (0) 5.61.78.40.52

Copyright © 2010 ProSoft Technology, Inc., all rights reserved.
11/29/2010



Additional Products

ProSoft Technology® offers a full complement of hardware and software solutions for a wide variety of industrial communication platforms. For a complete list of products, visit our web site at: www.prosoft-technology.com

Ordering Information

To order this product, please use the following:

ProSoft Wireless Designer

PSW-PWD

To place an order, please contact your local ProSoft Technology distributor. For a list of ProSoft Technology distributors near you, go to: www.prosoft-technology.com and select Distributors from the menu.

Place your order by email or fax to:

North American / Latin American / Asia Pacific
orders@prosoft-technology.com
fax to +1 661.716.5101

Europe / Middle East / Africa
europe@prosoft-technology.com
fax to +33 (0) 5.61.78.40.52

Copyright © 2010 ProSoft Technology, Inc., all rights reserved. 11/29/2010

Specifications subject to change without notice.